

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : WINDSCREEN WASH APPLGREEN 32ML  
Product code : 00892 333 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent  
Detergent

#### 1.3 Details of the supplier of the safety data sheet

Company : Würth UK Ltd  
1 Centurion Way  
Erith, Kent  
  
Telephone : +44 (0)3300 555 444  
Telefax : +44 (0)3300 555 666  
E-mail address of person responsible for the SDS : prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+44 (0)870 190 6777

---

### SECTION 2: Hazards identification


#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2      H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning  
Hazard statements : H319 Causes serious eye irritation.  
Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

P280    Wear eye protection/ face protection.

### Response:

P337 + P313    If eye irritation persists: Get medical advice/  
attention.

### Additional Labelling

EUH208      Contains 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	$\geq 1 - < 10$
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7 209-406-4	Skin Irrit. 2; H315 Eye Dam. 1; H318	$\geq 1 - < 3$
Sodium poly(oxyethylene) lauryl ether sulfate	9004-82-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	$\geq 1 - < 2.5$
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8 287-809-4 01-2119489463-28	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	$\geq 1 - < 2.5$
2-Methyl-2H-isothiazol-3-one	2682-20-4 220-239-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0.0025 - < 0.01$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire- : Exposure to combustion products may be a hazard to health.
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2017
3.4	22.06.2017	324335-00009	Date of first issue: 10.12.2014

---

fighting

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.

### 6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid inhalation of vapour or mist.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents
- Recommended storage temperature :  $\geq 5 \text{ }^\circ\text{C}$

#### 7.3 Specific end use(s)

- Specific use(s) : No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version  
3.4

Revision Date:  
22.06.2017

SDS Number:  
324335-00009

Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

Ethanol	Workers	Inhalation	Acute local effects	1900 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	950 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg bw/day
Sodium bis(2-ethylhexyl)sulfosuccinate	Workers	Inhalation	Long-term systemic effects	13 mg/m <sup>3</sup>
	Workers	Ingestion	Long-term systemic effects	18.8 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	18.8 mg/kg bw/day
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Workers	Inhalation	Long-term systemic effects	285 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	4060 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	85 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2440 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	24 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Intermittent use/release	2.75 mg/l
	Sewage treatment plant	580 mg/l
	Fresh water sediment	3.6 mg/kg
	Marine sediment	2.9 mg/kg
	Soil	0.63 mg/kg
	Oral (Secondary Poisoning)	720 mg/kg food
Sodium bis(2-ethylhexyl)sulfosuccinate	Fresh water	0.0066 mg/l
	Marine water	0.0066 mg/l
	Intermittent use/release	0.066 mg/l
	Sewage treatment plant	122 mg/l
	Fresh water sediment	0.653 mg/kg
	Marine sediment	0.0653 mg/kg
	Soil	0.138 mg/kg
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Fresh water	0.102 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	0.036 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

	Sewage treatment plant	1.35 mg/l
	Fresh water sediment	3.58 mg/kg
	Marine sediment	0.358 mg/kg
	Soil	0.654 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

- Eye protection : Wear the following personal protective equipment:  
Safety goggles
- Hand protection  
Remarks : not required
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : No data available
- Odour : No data available
- Odour Threshold : No data available
- pH : 7.3  
Concentration: 1,000 g/l
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : 100 °C
- Flash point : boils before flash  
Other information: No data available
- Evaporation rate : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.01 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : completely soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

---





# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

Remarks: Based on data from similar materials

### **2-Methyl-2H-isothiazol-3-one:**

Acute oral toxicity : LD50 (Rat): 120 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): 242 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Skin irritation

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species: Rabbit  
Result: Skin irritation

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species: Rabbit  
Result: Skin irritation

#### **2-Methyl-2H-isothiazol-3-one:**

Result: Corrosive after 3 minutes to 1 hour of exposure

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Ethanol:**

Species: Rabbit  
Method: OECD Test Guideline 405  
Result: Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species: Rabbit  
Method: OECD Test Guideline 405  
Result: Irreversible effects on the eye

### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species: Rabbit  
Result: Irreversible effects on the eye  
Remarks: Based on data from similar materials

### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species: Rabbit  
Result: Irreversible effects on the eye  
Remarks: Based on data from similar materials

### **2-Methyl-2H-isothiazol-3-one:**

Result: Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Skin contact  
Species: Mouse  
Result: negative

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type: Human repeat insult patch test (HRIPT)  
Exposure routes: Skin contact  
Species: Humans  
Result: negative

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Test Type: Buehler Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Result: negative  
Remarks: Based on data from similar materials

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Test Type: Maximisation Test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

Exposure routes: Skin contact  
Species: Guinea pig  
Result: negative

### **2-Methyl-2H-isothiazol-3-one:**

Exposure routes: Skin contact  
Result: positive

Assessment: Probability or evidence of high skin sensitisation rate in humans

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

: Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **2-Methyl-2H-isothiazol-3-one:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species: Rat  
Application Route: Ingestion  
Exposure time: 2 Years  
Result: negative  
Remarks: Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **2-Methyl-2H-isothiazol-3-one:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

#### **Components:**

##### **Ethanol:**

Species: Rat  
NOAEL: 1,280 mg/kg  
LOAEL: 3,156 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species: Rat  
NOAEL: 750 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species: Rat  
NOAEL: 225 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days  
Remarks: Based on data from similar materials

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species: Mouse  
NOAEL: 400 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

LOAEL: 500 mg/kg  
Application Route: Skin contact  
Exposure time: 90 Days

### Aspiration toxicity

Not classified based on available information.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Ethanol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l  
Exposure time: 48 h
- Toxicity to algae : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h
- EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l  
Exposure time: 16 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.6 mg/l  
Exposure time: 9 d  
Species: Daphnia magna (Water flea)

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 128.5 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : (Pseudomonas putida): 164 mg/l  
Exposure time: 16 h

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 3.12 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

aquatic invertebrates      Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 1 mg/l  
Exposure time: 45 d  
Species: Pimephales promelas (fathead minnow)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.27 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.7 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC50 : 135 mg/l  
Exposure time: 3 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC:  $\geq$  1.357 mg/l  
Exposure time: 42 d  
Species: Pimephales promelas (fathead minnow)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.14 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### 2-Methyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 - 6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.93 - 1.9 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Skeletonema costatum (marine diatom)): 0.0695 mg/l  
Exposure time: 24 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.024



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

mg/l  
Exposure time: 24 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2.1 mg/l  
Exposure time: 33 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.04 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Components:

##### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.2 %  
Exposure time: 28 d

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 26 d

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **2-Methyl-2H-isothiazol-3-one:**

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### **Ethanol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2017
3.4	22.06.2017	324335-00009	Date of first issue: 10.12.2014

---

Partition coefficient: n-octanol/water : log Pow: -0.35

### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Partition coefficient: n-octanol/water : log Pow: 1.998

### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Partition coefficient: n-octanol/water : log Pow: 0.8

### **2-Methyl-2H-isothiazol-3-one:**

Partition coefficient: n-octanol/water : log Pow: -0.34

#### **12.4 Mobility in soil**

No data available

#### **12.5 Results of PBT and vPvB assessment**

Not relevant

#### **12.6 Other adverse effects**

No data available

---

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

- |                        |   |   |
|------------------------|---|---|
| Product                | : | Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.   |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.  |
| Waste Code             | : | The following Waste Codes are only suggestions:<br><br>used product<br>200129, detergents containing dangerous substances<br><br>unused product<br>200129, detergents containing dangerous substances<br><br>uncleaned packagings<br>150110, packaging containing residues of or contaminated by dangerous substances |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version 3.4      Revision Date: 22.06.2017      SDS Number: 324335-00009      Date of last issue: 03.03.2017  
Date of first issue: 10.12.2014

---

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 1.92 %, 19 g/l  
Remarks: VOC content excluding water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## WINDSCREEN WASH APPLGREEN 32ML

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2017
3.4	22.06.2017	324335-00009	Date of first issue: 10.12.2014

Regulation (EC) No. 648/2004, as amended : less than 5 %: Anionic surfactants  
Other constituents: Perfumes  
Preservation agents:  
METHYLISOTHIAZOLINONE  
BENZISOTHIAZOLINONE  
Allergens:  
LIMONENE

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Acute aquatic toxicity  
Aquatic Chronic : Chronic aquatic toxicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -

