



SAFETY DATA SHEET

According to Safe Work Australia Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals

SDS #: 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier

Product name PERFORMANCE VICTORY 15W-40

Other means of identification

Number 1D4
Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Automotive (motor) oil, Heavy duty diesel.

Details of the supplier of the safety data sheet

Supplier Total Oil Australia Pty Ltd (ABN 15 149 501 922)
Suite 2, 415 Riversdale Road, Hawthorn East
Victoria 3123
AUSTRALIA
Tel: +61 (03)9861 8600
Fax: +61 (03) 9882 0447

For further information, please contact:

Contact Point service HSE
E-mail Address ms.ap-sds@total.com

Emergency telephone

International: CHEMTREC +1 703 527 3887 (collect calls accepted)
1800 033 111 (Australia)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not classified as hazardous according to Australia Model Work Health and Safety Regulations

GHS Label elements, including precautionary statements

Signal Word None

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Other hazards which do not result in classification

Physical-Chemical Properties Contaminated surfaces will be extremely slippery
Environmental properties Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	EC-No	Weight %
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	93819-94-4	298-577-9	1-<2.5
Molybdene dithiocarbamide complex, polysulfur alkyl long chain	^	457-320-2	0.1-<0.25

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Skin contact Not classified. May produce an allergic reaction.

Eye contact Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

Advice for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Other information

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and at the end of workday. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

Appropriate engineering controls

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment (PPE)

General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1: The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear: Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
Hand Protection	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color		amber	
Physical State @20°C		liquid	
Odor		Characteristic	
Odor Threshold		No information available	
Property	Values	Remarks	Method
pH		Not applicable	
Melting point/range		Not applicable	
Boiling point/boiling range		No information available	
Flash point	230 °C 446 °F		ASTM D 92 ASTM D 92
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Relative density	0.8737	@ 15 °C	ASTM D 4052
Density	873.7 kg/m ³	@ 15 °C	ASTM D 4052
Water solubility		Insoluble	
Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic	104 mm ² /s	@ 40 °C	ASTM D 445
	14.19 mm ² /s	@ 100 °C	ASTM D 445
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

9.2. Other information

Freezing Point No information available

Pour point -36 °C ASTM D 97

10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin contact Not classified. May produce an allergic reaction.

Eye contact Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.

Symptoms related to the physical, chemical and toxicological characteristics

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

Oral Not classified.
ATEmix (oral) > 5,000.00 mg/kg
 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Dermal Not classified.
ATEmix (dermal) > 5,000.00 mg/kg
 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Inhalation Not classified
ATEmix (inhalation-gas) > 20,000.00 ppm
 1.994 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
ATEmix (inhalation-vapor) > 20.00 mg/l
 1.994 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
ATEmix (inhalation-dust/mist) > 5.00 mg/l
 1.994 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) 93819-94-4	LD50 2600 mg/kg (Rat)	LD50 > 3160 mg/kg (Rabbit - OECD 402)	
Molybdene dithiocarbamide complex, polysulfur alkyl long chain ^	LD50 > 2000 mg/kg (Rat - OECD 425)	LD50 > 2000 mg/kg (Rat - OECD 402)	

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.

Sensitization Not classified as a sensitizer. May produce an allergic reaction. Contains sensitizer(s).

Carcinogenicity This product is not classified carcinogenic.

Mutagenicity This product is not classified as mutagenic. Contains no ingredient listed as a mutagen.

Germ Cell Mutagenicity This product is not classified as mutagenic

Reproductive toxicity Not Classified.

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration Hazard	Not classified.
Neurological effects	None known.
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) 93819-94-4	EbC50 (96h) 2.1 mg/l Selenastrum capricornutum (OECD 201)	EL50 (48h) 5.4 mg/l Daphnia magna (OECD 202)	LC50 (96h) 4.5 mg/l Oncorhynchus mykiss (OECD 203)	
Molybdene dithiocarbamide complex, polysulfur alkyl long chain ^	EC50 (72h) 14 mg/l (Selenastrum capricornutum - OECD 201)	EL50 (48h) 50 mg/l (Daphnia magna - OECD 202)	LL50 (96h) 94.8 mg/l (Oncorhynchus mykiss - OECD 203)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

No information available.

Effects on terrestrial organisms No information available.

Persistence and degradability

No information available.

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information

Chemical Name	log Pow
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) - 93819-94-4	0.9
Molybdene dithiocarbamide complex, polysulfur alkyl long chain - ^	5.1

Mobility

Soil Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air Loss by evaporation is limited.

Water The product is insoluble and floats on water.

Other adverse effects

General Information No information available.

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products Where possible recycling is preferred to disposal or incineration. Should not be released into the environment. Dispose of in accordance with local regulations. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other information Refer to section 8 for safety and protective measures for disposal personnel.

14. TRANSPORT INFORMATION

ADG (Australia) Not regulated

ADR/RID Not regulated

IMDG/IMO Not regulated

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

<u>ICAO/IATA</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

National regulatory information

Not classified as hazardous according to Australia Model Work Health and Safety Regulations

16. OTHER INFORMATION

Issuing date:	2016-12-30
Revision Date:	2016-12-30
Revision Note	No information available.

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

ADG = Australian Dangerous Goods

Legend:

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

TWA - Time Weight Average

STEL - Short Term Exposure Limits

Version UGHS



SDS # : 082176

PERFORMANCE VICTORY 15W-40

Issuing date: 2016-12-30

Revision Date: 2016-12-30

Version 1

S* - Skin notation

Ceiling:	Maximum limit value	TWA:	Time weighted average
STEL:	Short term exposure limit	*	Skin designation
+	Sensitizer	**	Hazard Designation
C	Carcinogen		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet