

**SIMSON ISR 70-03 SSKF NEUTRAL BLACK**  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik SA  
Immeuble "Le Jade"  
253 Avenue du President Wilson  
93211 La Plaine Saint Denis  
France  
Tel: +33 (0)1 55 99 90 00  
Fax: +33 (0)1 55 99 90 01

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

<b>United Kingdom</b>	+44 (1785) 272650
<b>Ireland</b>	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### **Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

### 2.2. Label Elements

#### **Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

#### **Signal Word**

No signal word

#### **Special provisions concerning the labelling of certain mixtures**

EUH210 - Safety data sheet available on request

### 2.3. Other Hazards

#### **General Hazards**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supercedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1 - <3	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
1-Propanamine, 3-(trimethoxysilyl)-	237-511-5	13822-56-5	1- <2.5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119510159-45 -XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
<b>Self-Protection of the First Aider</b>	First aider: Pay attention to self-protection.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## Note to doctors

Small amounts of toxic methanol are released by hydrolysis. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

#### Unsuitable Extinguishing Media

Strong water jet

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

#### For emergency responders

Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### Methods for Containment

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

#### Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse.

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Protect from moisture. Keep away from food, drink and animal feedingstuffs. Recommended storage temperature. 10 - 35 °C. Keep container tightly closed and dry. Product cures with moisture.

## 7.3. Specific end use(s)

### Specific Use(s)

Adhesives.

### OTHER INFORMATION

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Carbon black (1333-86-4) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	European Union	Ireland	United Kingdom
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 600 ppm STEL: 780 mg/m <sup>3</sup> Skin	STEL: 250 ppm STEL: 333 mg/m <sup>3</sup> TWA: 200 ppm TWA: 266 mg/m <sup>3</sup> Skin
Carbon black 1333-86-4	-	TWA: 3 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	STEL: 7 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

**Eye/Face Protection** Tight sealing safety goggles.

**Skin and Body Protection** Suitable protective clothing.

**Environmental Exposure Controls** No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid  
**Appearance** Paste  
**Colour** Black  
**Odour** Slight  
**Odour Threshold** No information available

#### Property

**pH** No information available  
**Melting point / freezing point** No information available  
**Boiling Point** No information available

#### Remarks • Method

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

<b>Flash Point</b>	> 100 °C / > 212 °F	CC (closed cup)
<b>Evaporation Rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	Not applicable for liquids
<b>Flammability Limit in Air</b>		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
<b>Vapour Pressure</b>	No information available	
<b>Vapour Density</b>	No information available	
<b>Relative Density</b>	No information available	
<b>Water Solubility</b>	Insoluble in water	
<b>Solubility in Other Solvents</b>	No information available	
<b>Partition Coefficient</b>	No information available	
<b>Autoignition Temperature</b>	No information available	
<b>Decomposition Temperature</b>	No information available	
<b>Explosive Properties</b>	No information available	
<b>Explosive Limits</b>	No information available	
Upper	No information available	
Lower	No information available	
<b>Oxidising Properties</b>	No information available	
<b>Kinematic Viscosity</b>	No information available	
<b>Dynamic Viscosity</b>	7000 - 13000 mPa s	@ 20 °C

## 9.2. Other information

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>Solvent content (%)</b>	No information available
<b>Solid content (%)</b>	No information available
<b>Density</b>	1.4 g/cm <sup>3</sup>
<b>Bulk Density</b>	No data available
<b>VOC content (%)</b>	

## **Section 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

Sensitivity to Mechanical Impact None.  
Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

### 10.4. Conditions to avoid

Protect from moisture. Product cures with moisture.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

None under normal use conditions.

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### Product Information

In vitro Bovine Corneal Opacity and Permeability tests (BCOP test; OECD 437) have been carried out on this product.

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	The test item induced a mean In-vitro irritancy score $\leq 3$ , the test item was considered as a test chemical not requiring classification for eye irritation or serious eye damage (UN GHS No Category).
<b>Skin Contact</b>	No data available.
<b>Ingestion</b>	No data available.
<b>Sensitisation</b>	No data available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	Not applicable.
<b>Serious eye damage/eye irritation</b>	Not applicable.
<b>Sensitisation</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

#### Numerical measures of toxicity

##### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

<b>ATEmix (dermal)</b>	71,755.00 mg/kg mg/l
<b>ATEmix (inhalation-vapour)</b>	367.00 mg/l

##### Component Information

**Toxicity Data** Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg ( Rat ) OECD 401	= 3360 $\mu$ L/kg ( Rabbit )	-
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (rat) > 2000 mg/kg OECD 423	LD50 (rat) > 3 170 mg/kg OECD 402	= 500 mg/m <sup>3</sup> ( Rat ) 4 h

## Section 12: ECOLOGICAL INFORMATION

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

## 12.1. Toxicity

**Ecotoxicity** No information available

## Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	L50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)	
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202	

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

**Partition coefficient** No information available

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects

No information available

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## Section 14: TRANSPORTATION INFORMATION

### ADR

**14.1 UN/ID no** Not regulated

**14.2 Proper Shipping Name** Not regulated

**14.3 Hazard Class** Not regulated

# Safety Data Sheet

SIMSON ISR 70-03 SSKF NEUTRAL BLACK  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

14.4 Packing Group Not regulated  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions None

## IMDG

14.1 UN/ID no Not regulated  
14.2 Proper Shipping Name Not regulated  
14.3 Hazard Class Not regulated  
14.4 Packing Group Not regulated  
14.5 Marine Pollutant Np  
14.6 Special Provisions None  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

## RID

14.1 UN/ID no Not regulated  
14.2 Proper Shipping Name Not regulated  
14.3 Hazard Class Not regulated  
14.4 Packing Group Not regulated  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions None

## ICAO (air)

14.1 UN/ID no Not regulated  
14.2 Proper Shipping Name Not regulated  
14.3 Hazard Class Not regulated  
14.4 Packing Group Not regulated  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions None

## IATA

14.1 UN/ID no Not regulated  
14.2 Proper Shipping Name Not regulated  
14.3 Hazard Class Not regulated  
14.4 Packing Group Not regulated  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

##### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).



# Safety Data Sheet

**SIMSON ISR 70-03 SSKF NEUTRAL BLACK**  
Supersedes Date: 03-Oct-2017

Revision Date 03-Oct-2017  
Version 1

Chemical Name	CAS No	Restrictions on use
Silicic acid (H <sub>4</sub> SiO <sub>4</sub> ), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane	93925-43-0	3 20 40

## EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## 15.2. Chemical safety assessment

None

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H332 - Harmful if inhaled  
H226 - Flammable liquid and vapour  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value \* Skin designation  
PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals  
STOT (RE): Specific target organ toxicity - Repeated exposure  
STOT (SE): Specific target organ toxicity - Single exposure  
EWC: European Waste Catalogue

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 03-Oct-2017

#### Indication of changes

**Revision Note** Not applicable.

**Training Advice** No information available

# Safety Data Sheet

**SIMSON ISR 70-03 SSKF NEUTRAL BLACK**  
**Supersedes Date:** 03-Oct-2017

**Revision Date** 03-Oct-2017  
**Version** 1

---

**Additional information** No information available

**This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**