151 GORILLA FILLER PU FOAM HANDHELD

Page: 1

Compilation date: 15/09/2014

Revision date: 08/06/2017

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 151 GORILLA FILLER PU FOAM HANDHELD

Product code: GF1 / GF2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Resp. Sens. 1: H334; Aquatic Chronic 3: H412; Carc. 2: H351; Eye Irrit. 2: H319; Flam.

Aerosol 1: H222; Lact.: H362; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT RE 2: H373;

STOT SE 3: H335; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin

irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic

life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated

H315: Causes skin irritation.

151 GORILLA FILLER PU FOAM HANDHELD

Page: 2

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer.

H362: May cause harm to breast-fed children.

H373: May cause damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark GHS08: Health hazard







Signal words: Danger

Precautionary statements: * P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P260: Do not breathe fumes.

P264: Wash hands thoroughly after handling.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P501: Dispose of contents & container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)

| FINECS | CAS | PRT / WFI | CLP Classification | Percent |
|--------|-----|-----------|--------------------|---------|
| EINEGO | CAS | FDI/WEL | CLP Classification | reicent |

151 GORILLA FILLER PU FOAM HANDHELD

Page: 3

| _ | 9016-87-9 | _ | Carc. 2: H351; Acute Tox. 4: H332; | 25-50% |
|-------------|--------------|--|---------------------------------------|---------|
| | 00.00.0 | | STOT RE 2: H373; Eye Irrit. 2: H319; | 20 0070 |
| | | | STOT SE 3: H335; Skin Irrit. 2: H315; | |
| | | | Resp. Sens. 1: H334; Skin Sens. 1: | |
| | | | H317 | |
| DIMETHYL ET | HER | | | |
| 204-065-8 | 115-10-6 | Substance with a Community workplace exposure limit. | Flam. Gas 1: H220; Press. Gas: H280 | 5-10% |
| BUTANE | | | , | |
| 203-448-7 | 106-97-8 | Substance with a Community workplace exposure limit. | Flam. Gas 1: H220; Press. Gas: H280 | |
| TCPP_TRIS(2 | -CHLORO-1-ME | THYLETHYL) PHOSPHATE_MULT | TICONSTITUENT SUBSTANCE | |
| 237-158-7 | 13674-84-5 | - | Acute Tox. 4: H302 | 5-10% |
| ALKANES, C1 | 4-17, CHLORO | | | |
| 287-477-0 | 85535-85-9 | - | Lact.: H362; Aquatic Chronic 1: H410; | 1-3% |
| | | | Aquatic Acute 1: H400 | |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all cured product. Wash immediately with plenty of soap and water. If irritation

persists seek medical advice.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Remove any cured product from the mouth. Do not induce vomiting. Wash out mouth

with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: * There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Exposure may cause coughing or wheezing. Solvent abuse can kill.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water spray. Carbon dioxide. Alcohol resistant foam.

151 GORILLA FILLER PU FOAM HANDHELD

Page: 4

5.2. Special hazards arising from the substance or mixture

Exposure hazards: * Forms explosive air-vapour mixture. In combustion emits toxic fumes. Pressurized container may explode in the heat of a fire.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Smoking is forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: * Store in a cool, well ventilated area. Keep away from direct sunlight. KEEP OUT OF

THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

151 GORILLA FILLER PU FOAM HANDHELD

Page: 5

DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)

Workplace exposure limits:

Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|----------------|------------|--------------|------------|--------------|
| UK | 0.02 mg/m3 | 0.07 mg/m3 | • | - |
| DIMETHYL ETHER | | | | |
| UK | 766 mg/m3 | 958 mg/m3 | - | - |

BUTANE

| _ | | | | |
|----|------------|------------|---|---|
| UK | 1450 mg/m3 | 1810 mg/m3 | - | - |

DNEL/PNEC Values

Hazardous ingredients:

TCPP_TRIS(2-CHLORO-1-METHYLETHYL) PHOSPHATE_MULTICONSTITUENT SUBSTANCE

| Type | Exposure | Value | Population | Effect |
|------|-----------------------|-------------------------|------------|--------|
| DMEL | Dermal | 0.72mg/kg bw/day | Workers | Local |
| PNEC | Fresh water | 0.42mg/L | - | • |
| PNEC | Fresh water sediments | 2.96mg/kg sediment d | - | - |
| PNEC | Marine water | 0.42mg/L | - | - |
| PNEC | Marine sediments | 2.96mg/kg sediment d | - | - |
| PNEC | Soil | 1.33mg/kg soil dw | - | - |

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Pale yellow

Odour: Characteristic odour

Solubility in water: Insoluble **Relative density:** 15kg/m3

9.2. Other information

Other information: No data available.

151 GORILLA FILLER PU FOAM HANDHELD

Page: 6

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)

| ORL | RAT | LD50 | 49 | gm/kg |
|-----|-----|------|-------|-------|
| SKN | RBT | LD50 | >9400 | mg/kg |

TCPP_TRIS(2-CHLORO-1-METHYLETHYL) PHOSPHATE_MULTICONSTITUENT SUBSTANCE

| DERMAL | RAT | LD50 | >2000 | mg/kg |
|--------|-----|------|------------|-------|
| ORAL | RAT | LD50 | >500 <2000 | mg/kg |

Relevant hazards for product:

| Hazard | Route | Basis |
|--------------------------------|---------|-----------------------|
| Skin corrosion/irritation | DRM | Hazardous: calculated |
| Serious eye damage/irritation | OPT | Hazardous: calculated |
| Respiratory/skin sensitisation | INH DRM | Hazardous: calculated |
| Carcinogenicity | | Hazardous: calculated |
| STOT-single exposure | INH | Hazardous: calculated |
| STOT-repeated exposure | - | Hazardous: calculated |

151 GORILLA FILLER PU FOAM HANDHELD

Page: 7

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: * There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Exposure may cause coughing or wheezing. Solvent abuse can kill.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

TCPP_TRIS(2-CHLORO-1-METHYLETHYL) PHOSPHATE MULTICONSTITUENT SUBSTANCE

| ALGAE (Pseudokirchnerella subcapitata | 72H NOEC50 | 13 | mg/l |
|---------------------------------------|------------|------|------|
| DAPHNID (Daphnia magna) | 48H EC50 | 131 | mg/l |
| ZEBRAFISH (Danio rerio) | 96H LC50 | 56.2 | mg/l |

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations.

Disposal of packaging: Disposal should be in accordance with Local Authority Regulations. Do not pierce

containers prior to disposal.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

151 GORILLA FILLER PU FOAM HANDHELD

Page: 8

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

(BUTANE; DIMETHYL ETHER)

14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard>.

H362: May cause harm to breast-fed children.

151 GORILLA FILLER PU FOAM HANDHELD

Page: 9

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.