

en	This safety data sheet file is issued for the following production lots: 1. Version 2.X is valid for HIT-HY 170 with a maximum expiration date of 12/2022 (see foil pack manifold) 2. Version 3.0 is valid for HIT-HY 170 with a minimum expiration date of 01/2023 (see the foil pack manifold)
de	Diese Sicherheitsdatenblatt-Datei betrifft die folgenden Fertigungslose: 1. Version 2.X ist gültig für HIT-HY 170 mit einem Haltbarkeitsdatum bis 12/2022 (siehe Verbindungsteil) 2. Version 3.0 ist gültig für HIT-HY 170 mit einem Haltbarkeitsdatum ab 01/2023 (siehe Verbindungsteil)
nl	Dit veiligheidsinformatiebladbestand wordt afgegeven voor de volgende productie-lots: 1. Versie 2.X is geldig voor HIT-HY 170 met een maximale houdbaarheidsdatum tot 12/2022 (zie foliepak verdeler) 2. Versie 3.0 is geldig voor HIT-HY 170 met een minimale houdbaarheidsdatum tot 01/2023 (zie foliepak verdeler)
fr	Ce fichier de données de sécurité est délivré pour les lots de production suivants : 1. La version 2.X est valide pour HIT-HY 170 avec une date d'expiration maximale de 12/2022 (voir le raccord de cartouche souple) 2. La version 3.0 est valide pour HIT-HY 170 avec une date d'expiration maximale de 01/2023 (voir le raccord de cartouche souple)
da	Denne sikkerhedsdatabladsfil er udgivet for følgende produktions lots: 1. Version 2.X er gældende for HIT-HY 170 med en maksimal udløbsdato d. 12/2022 (se foliepakkens manifold) 2. Version 3.0 er gældende for HIT-HY 170 med en mindste udløbsdato d. 01/2023 (se foliepakkens manifold)
sv	Denna säkerhetsdatabladsfil har utfärdats för följande tillverkningspartier: 1. Version 2.X är giltig för HIT-HY 170 med ett sista giltighetsdatum den 12/2022 (se folieförpackningens grenrör) 2. Version 3.0 är giltig för HIT-HY 170 med ett första giltighetsdatum den 01/2023 (se folieförpackningens grenrör)
fi	Tämä käyttöturvallisuustiedote koskee seuraavia tuotantoeriä: 1. Versio 2.X koskee HIT-HY 170 -tuotetta, jonka viimeinen käyttöpäivämäärä on 12/2022 tai sitä ennen (ks. foliopakkauksen taite) 2. Versio 3.0 koskee HIT-HY 170 -tuotetta, jonka viimeinen käyttöpäivämäärä on 01/2023 tai sen jälkeen (ks. foliopakkauksen taite)
hu	Ezt a biztonsági adatlapot a következő gyártási tételekhez bocsátják ki: 1. Az 2.X változat legfeljebb 2022/12 lejárati dátummal érvényes a HIT-HY 170-re (lásd a fóliacsomag sokszorosított iratát) 2. Az 3.0 változat legalább 2023/01 lejárati dátummal érvényes a HIT-HY 170-re (lásd a fóliacsomag sokszorosított iratát)
es	Este archivo de hoja de datos de seguridad se emite para los siguientes lotes de producción: 1. Versión 2.X válida para HIT-HY 170 con una fecha de caducidad máxima de 12/2022 (consulte el colector de láminas) 2. Versión 3.0 válida para HIT-HY 170 con una fecha de caducidad mínima de 01/2023 (consulte el colector de láminas)
pt	Este ficheiro com ficha de dados de segurança é emitido para os seguintes lotes de produção: 1. A versão 2.X é válida para a HIT-HY 170 com um prazo máximo de validade até 12/2022 (ver as diversas embalagens) 2. A versão 3.0 é válida para a HIT-HY 170 com um prazo mínimo de validade até 01/2023 (ver as diversas embalagens)
it	Questo file della scheda tecnica di sicurezza è rilasciato per i seguenti lotti di produzione: 1. La versione 2.X è valida per HIT-HY 170 con data di scadenza massima 12/2022 (vedere la giunzione della confezione) 2. La versione 3.0 è valida per HIT-HY 170 con data di scadenza minima 01/2023 (vedere la giunzione della confezione)
pl	Ten plik arkusza danych bezpieczeństwa jest wydany dla następujących części produkcyjnych: 1. Wersja 2.X obowiązuje w przypadku HIT-HY 170 z maksymalnym dniem rozpoczęcia pracy 12/2022 (patrz opakowanie foliowe) 2. Wersja 3.0 obowiązuje w przypadku HIT-HY 170 z minimalnym dniem rozpoczęcia pracy 01/2023 (patrz opakowanie foliowe)
ru	Этот файл сертификата безопасности предоставлен для следующих партий продукции: 1. Версия 2.Х действительна для HIT-HY 170 с максимальным сроком годности до 12.2022 г. (см. присоединительную часть на капсуле) 2. Версия 3.0 действительна HIT-HY 170 с минимальным сроком годности до 01.2023 г. (см. присоединительную часть на капсуле)
el	Το παρόν δελτίο δεδομένων ασφάλειας εκδίδεται για τις ακόλουθες παρτίδες παραγωγής: 1. Η έκδοση 2.Χ ισχύει για το HIT-HY 170 με μέγιστη ημερομηνία λήξης τον 12/2022 (βλέπε διανομέα συσκευασίας μεμβράνης) 2. Η έκδοση 3.0 ισχύει για το HIT-HY 170 με ελάχιστη ημερομηνία λήξης τον 01/2023 (βλέπε τον διανομέα της συσκευασίας μεμβράνης)
CS	Tento soubor s bezpečnostním listem je vystaven pro tyto výrobní závody 1. Verze 2.X je platná pro HIT-HY 170 s maximálním datem expirace 12/2022 (viz fólie balení) 2. Verze 3.0 je platná pro HIT-HY 170 s minimálním datem expirace 01/2023 (viz fólie balení)
bg	Този информационен лист за безопасност се публикува за следните производствени партиди: 1. Версия 2.X е валидна за HIT-HY 170 с максимален срок на валидност до 12.2022 г. (вж. фолийна опаковка за колектор) 2. Версия 3.0 е валидна за HIT-HY 170 с минимален срок на изтичане 01.2023 г. (вж. фолийна опаковка за колектор)
lv	Šo drošības datu lapa ir izsniegta šādām ražojumu partijām: 1. Versija 2.X ir derīga izstrādājumam HIT-HY 170, kura maksimālais derīguma termiņš ir 2022. gada maijs (skatīt folija iepakojuma kolektoru) 2. Versija 3.0 ir derīga izstrādājumam HIT-HY 170, kura minimālais derīguma termiņš ir 2023. gada jūnijs (skatīt folija iepakojuma kolektoru)
lt	Šis saugos duomenų lapo failas išduodamas šioms gamybos partijoms: 1. 2.X versija galioja HIT-HY 170, kurios maksimali galiojimo data – 2022-12 (žr. folinių pakuočių rinkinį) 2. 3.0 versija galioja HIT-HY 170, kurios minimali galiojimo data – 2023-01 (žr. folinių pakuočių rinkinį)
sk	Tento súbor bezpečnostných údajov sa vydáva pre tieto výrobné šarže: 1. Verzia 2.X je platná pre HIT-HY 170 s maximálnym dátumom exspirácie 12/2022 (pozrite si údaj na fólii balenia) 2. Verzia 3.0 je platná pre HIT-HY 170 s minimálnym dátumom exspirácie 01/2023 (pozrite si údaj na fólii balenia)
sl	Datoteka z varnostnim listom je izdana za naslednje proizvodne serije: 1. Različica 2.X je veljavna za izdelek HIT-HY 170 z maksimalnim datumom poteka veljavnosti: 12/2022 (glejte pakiranje) 2. Različica 3.0 je veljavna za izdelek HIT-HY 170 z minimalnim datumom poteka veljavnosti: 01/2023 (glejte pakiranje)



See ohutuskaardi fail on välja antud järgmistele tootepartiidele: et 1. Versioon 2.X kehtib tootele HIT-HY 170 viimase säilimiskuupäevaga 12/2022 (vt fooliumpakendi hargnemiskohta) 2. Versioon 3.0 kehtib tootele HIT-HY 170 esimese säilimiskuupäevaga 01/2023 (vt fooliumpakendi hargnemiskohta) Acest fisier cu date tehnice de securitate este emis pentru următoarele locuri de productie: 1. Versiunea 2.X este valabilă pentru HIT-HY 170 cu data maximă de expirare 12/2022 (a se vedea racordul pentru cartușe din folie) ro 2. Versiunea 3.0 este valabilă pentru HIT-HY 170 cu data minimă de expirare 01/2023 (a se vedea racordul pentru cartușe din folie) Ovaj sigurnosno-tehnički list izdaje se za sljedeće proizvodne serije: 1. Verzija 2.X vrijedi za HIT-HY 170 s maksimalnim rokom trajanja do 12/2022 (vidjeti razvodnik iz folije) hr 2. Verzija 3.0 vrijedi za HIT-HY 170 s minimalnim rokom trajanja do 01/2023 (vidjeti razvodnik iz folije) Bu güvenlik bilgi formu dosyası aşağıdaki üretim partileri için hazırlanmıştır: 1. Versiyon 2.X, maksimum son kullanma tarihi 12/2022 olan HIT-HY 170 için geçerlidir (bkz. folyo paketi manifoldu) tr 2. Versiyon 3.0, inimumm son kullanma tarihi 01/2023 olan HIT-HY 170 için geçerlidir (bkz. folyo paketi manifoldu) Цей файл сертифіката безпеки надано для наступних партій продукції: 1. Версія 2.Х дійсна для НІТ-НҮ 170 з максимальним терміном придатності до 12.2022 р. (див. приєднувальну частину на uk капсулі) 2. Версія 3.0 дійсна для НІТ-НҮ 170 з мінімальним терміном придатності до 01.2023 р. (див. приєднувальну частину на капсулі) 本安全数据表文件针对以下生产批次发布: 1. 版本 2.X 对 HIT-HY 170 有效, 最长失效日期为 2022 年 12 月(参见箔包装歧管) zh 2. 版本 3.0 对 HIT-HY 170 有效, 最短失效日期为 2023 年 1 月(参见箔包装歧管) حيفة بيانات السلامة لتشغيلات الإنتاج التالية: دار ملف ص ىتم اص 1. الإصدار 2.X صالح لـ HIT-HY 170 بحد أقصى لتاريخ انتهاء الصلاحية هو 2022/12 (انظر العبوة المصنوعة من رقائق الألومنيوم) ar الإصدار 3.0 صالح لـ HIT-HY 170 على الأقل لتاريخ انتهاء الصلاحية هو 2023/1 (انظر العبوة المصنوعة من رقائق الألومنيوم). この安全性データシートファイルは、次の生産ロット用に発行されています: 1. バージョン 2.X は、有効期限が最大 2022 年 12 月までの HIT-HY 170 に対して有効です (フォイルパック連結部に表示) ja 2. バージョン 3.0 は、有効期限が 2023 年 1 月以降の HIT-HY 170 に対して有効です (フォイルパック連結部に表示) Datoteka bezbednosnog lista se izdaje za sledeće proizvodne serije: 1. Verzija 2.X je dostupna za HIT-HY 170 sa maksimalnim datumom isteka 12/2022 (pogledajte ivicu pakovanja od folije) sr 2. Verzija 3.0 je dostupna za HIT-HY 170 sa minimalnim datumom isteka 01/2023 (pogledajte ivicu pakovanja od folije) Fail helaian data keselamatan ini dikeluarkan untuk lot pengeluaran yang berikut: 1. Versi 2.X adalah sah untuk HIT-HY 170 dengan tarikh tamat tempoh maksimum pada 12/2022 (lihat manifold pek kerajang) ms 2. Versi 3.0 adalah sah untuk HIT-HY 170 dengan tarikh tamat tempoh minimum pada 01/2023 (lihat manifold pek kerajang) 본 안전보건자료는 다음 제품 로트에 대해 발급되었습니다. 1. 버전 2.X(은)는 HIT-HY 170에 대해 유효하며, 최대 만료 기한은 2022년 12월입니다(호일 팩 매니폴드 참조) ko 2. 버전 3.0(은)는 HIT-HY 170에 대해 유효하며, 최소 만료 기한은 2023년 1월입니다(호일 팩 매니폴드 참조) File lembar data keselamatan ini diterbitkan untuk lot produksi berikut: id 1. Versi 2.X berlaku untuk HIT-HY 170 dengan tanggal kedaluwarsa maksimum 12/2022 (lihat foil pack manifold) 2. Versi 3.0 berlaku untuk HIT-HY 170 dengan tanggal kedaluwarsa minimum 01/2023 (lihat foil pack manifold) קובץ גיליון נתוני בטיחות זה מונפק עבור מגרשי הייצור הבאים: (foil pack עם תאריך תפוגה מקסימלי של 12/2022 (ראה יריעת HIT-HY 170). גרסה 2.X he 2. גרסה 3.0 תקפה ל-HIT-HY 170 עם תאריך תפוגה מינימלי של 01/2023 (ראה יריעת foil pack) แผ่นข้อมลด้านความปลอดภัยนี้ที่ได้จัดทำสำหรับล็อตการผลิตดังต่อไปนี้: th 1. เวอร์ชั่น 2.X ใช้ได้กับ HIT-HY 170 ที่มีวันหมดอายุไม่เกิน 12/2022 (โปรดดูแผ่นพับห่อฟอยล์) 2. เวอร์ชั่น 3.0 ใช้ได้กับ HIT-HY 170 ที่มีวันหมดอายุขั้นต่ำ 01/2023 (โปรดดูแผ่นพับห่อฟอยล์) Tệp bảng dữ liệu an toàn này được phát hành cho các lô sản xuất sau: 1. Phiên bản 2.X hợp lệ cho HIT-HY 170 với ngày hết hạn tối đa là 12/2022 (xem ống keo cấy thép) vi 2. Phiên bản 3.0 hợp lệ cho HIT-HY 170 với ngày hết hạn tối thiểu là 01/2023 (xem ống keo cấy thép) 下列生產批次將獲核發本安全資料表檔案: zh 1. 2.X 版適用於 HIT-HY 170, 最長到期日 12/2022 (請見鋁箔包打字紙) tw 2.3.0 版適用於 HIT-HY 170, 最短到期日 01/2023 (請見鋁箔包打字紙) Бұл қауіпсіздік паспорты мына өндірістік партиялар үшін шығарылады: 1. 2.Х нұсқасы жарамдылық мерзімі көп уақытты (12/2022) қамтитын НІТ-НҮ 170 үшін жарамды (жұқалтыр қаптаманы қараңыз) kk 2. 3.0 нұсқасы жарамдылық мерзімі аз уақытты (01/2023) қамтитын НІТ-НҮ 170 үшін жарамды (жұқалтыр қаптаманы қараңыз)



## Safety information for 2-Component-products

Issue date: 08/09/2021

Revision date: 08/09/2021

Supersedes: 08/06/2021

Version: 3.0

## **SECTION 1: Kit identification**

## **1.1 Product identifier**

Product name Product code



## 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti France S.A.S. 126 rue Gallieni 92100 Boulogne-Billancourt - France T +33 825 01 05 05 <u>fr-contactez-nous@hilti.com</u>

## **SECTION 2: General information**

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

# **SECTION 3: Kit contents**

## **Classification of the Product**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2H319Skin Sens. 1H317Aquatic Acute 1H400Aquatic Chronic 1H410

Full text of H-statements: see section 16

## Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



Signal word (CLP) Hazardous ingredients Hazard statements (CLP)

20/09/2021

Warning methacrylates, dibenzoyl peroxide H317 - May cause an allergic skin reaction.




Kit SIS (Safety Information Sheet)

	H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P262 - Do not get in eyes, on skin, or on clothing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>

Extra phrases

## Additional information

2-Component-foilpack, contains: Component A: Urethane methacrylate resin, inorganic filler Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
НІТ-НҮ 170, В		1	pcs (pieces)	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
НІТ-НҮ 170, А		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317

# **SECTION 4: General information**

General advice

For professional users only

Spilled material may present a slipping hazard
Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Keep cool. Protect from sunlight.
Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
Collect spillage.
Sources of ignition Direct sunlight
Strong bases Strong acids

SECTION 6: First aid measures		
First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists	



Kit SIS (Safety Information Sheet)

First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation
Symptoms/effects after skin contact	May cause an allergic skin reaction.

SECTION 7: Fire fighting measures			
Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment		
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection		
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide		

# **SECTION 8: Other information**

No data available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 08/09/2021 Revision date: 08/09/2021 Supersedes version of: 08/06/2021

Version: 3.0

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	
Product name	
Product code	

Mixture HIT-HY 170, A BU Anchor

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture For professional use only Composite mortar component for fasteners in the construction industry

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH
126 rue Gallieni	Hiltistraße 6
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland
T +33 825 01 05 05	T +49 8191 906876
fr-contactez-nous@hilti.com	anchor.hse@hilti.com

### 1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

# **SECTION 2 Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)		
Serious eye damage/eye irritation, Category 2	H319	
Skin sensitisation, Category 1	H317	
Full text of H-statements: see section 16		

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) Warning Contains 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol Hazard statements (CLP) H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary statements (CLP) P280 - Wear eye protection, protective clothing, protective gloves. P262 - Do not get in eyes, on skin, or on clothing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water. P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. PTNF-X06D-T31P-0HG9

# 2.3. Other hazards

UFI

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component			
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component		
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

# SECTION 3 Composition/information on ingredients

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol	CAS-No. 27813-02-1 EC-No. 248-666-3 EC Index-No. 607-125-00-5 REACH-no 01-2119490226- 37	10 – 25	Eye Irrit. 2, H319 Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No. 2082-81-7 EC-No. 218-218-1 REACH-no 01-2119967415- 30	1 – 3	Skin Sens. 1B, H317



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No. 38668-48-3	0 – 1	Acute Tox. 2 (Oral), H300
	EC-No. 254-075-1		Eye Irrit. 2, H319
	REACH-no 01-2119980937-		Aquatic Chronic 3, H412
	17		

Full text of H- and EUH-statements: see section 16

# SECTION 4 First aid measures 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5 Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the substa	nce or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Firefighting instructions Protection during firefighting	

SECTION 6 Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
Spilled material may present a slipping hazard.				
Evacuate unnecessary personnel.				
Use personal protective equipment as required. Equip cleanup crew with proper protection.				
Ventilate area.				



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Appropriate engineering controls

# Ensure adequate ventilation.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

#### Eye protection

Wear security glasses which protect from splashes

#### Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

## 8.2.2.2. Skin protection

## Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

### 8.2.2.3. Respiratory protection

No additional information available

### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls**

Avoid release to the environment.

#### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

# SECTION 9 Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Light grey.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Flammability Explosive properties	Non flammable. Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic	60606,061 mm²/s
Viscosity, dynamic	100 Pa⋅s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1,65 g/ml AW 4.3.23
Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

## 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

# SECTION 10 Stability and reactivity

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
1,1'-(p-tolylimino)dipropan-2-ol (38668-48	3-3)
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	25 mg/kg bodyweight
2-Propenoic acid, 2-methyl-, 1,4-butaned	iyl ester (2082-81-7)
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
ATE CLP (oral)	10066 mg/kg bodyweight
2-Propenoic acid, 2-methyl-, monoester v	with 1,2-propanediol (27813-02-1)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg
	bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
Skin corrosion/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
HIT-HY 170, A	
Viscosity, kinematic	60606.061 mm <sup>2</sup> /s

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

No additional information available

SECTION 12 Ecological information	
12.1. Toxicity	

Hazardous to the aquatic environment, short-term	Not classified
(acute)	
Hazardous to the aquatic environment, long-term	Not classified
(chronic)	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28,8 mg/l
NOEC (acute)	57,8 mg/l



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)			
LC50 - Other aquatic organisms [1]	9,79 mg/l		
NOEC (acute)	7,51 mg/l		
NOEC (chronic)	20 mg/l		
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)			
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)		
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)		
ErC50 algae	97,2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella		
	subcapitata, Static system, Fresh water, Experimental value, GLP)		
Threshold limit - Algae [1]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)		
Threshold limit - Algae [2]       > 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)			

## 12.2. Persistence and degradability

HIT-HY 170, A			
Persistence and degradability	Not established.		
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)			
Biodegradation	84 %		
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)			
Persistence and degradability	Readily biodegradable in water.		

## 12.3. Bioaccumulative potential

HIT-HY 170, A			
Bioaccumulative potential	Not established.		
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)			
Partition coefficient n-octanol/water (Log Kow)	2,1		
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)			
Partition coefficient n-octanol/water (Log Pow)	3,1		
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)			
BCF - Fish [1]	≤ 100		
BCF - Fish [2]	3,2 Quantitative structure-activity relationship (QSAR)		
Partition coefficient n-octanol/water (Log Pow)	0,97 (OECD 102 method)		
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).		

## 12.4. Mobility in soil

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)			
Partition coefficient n-octanol/water (Log Koc) 1,9 (log Koc, Calculated value)			
Ecology - soil	Highly mobile in soil.		

## 12.5. Results of PBT and vPvB assessment

HIT-HY 170, A					
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII					
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII					
Component					
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII				
propanediol (27813-02-1)	nediol (27813-02-1) This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester This substance/mixture does not meet the PBT criteria of REACH regulation, annex					
(2082-81-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) This substance/mixture does not meet the PBT criteria of REACH regulation, anne					
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				

## 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information

Avoid release to the environment.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 13 Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) Product/Packaging disposal recommendations Disposal must be done according to official regulations.

After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials European List of Waste (LoW) code Avoid release to the environment. 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27\* - paint, inks, adhesives and resins containing dangerous substances

# **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	RID	
ADK	INDG		RID	
4.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	
4.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	
4.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
4.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available				

## 14.6. Special precautions for user

## **Overland transport**

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

# Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 15 Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on		
3(b)	2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester ; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol		
Contains no substance on the REACH candidate list ≥ 0,1 % / SCL			
Contains no REACH Annex XIV substances			

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16 Other information**

Indication of changes:				
Section	Changed item	Change	Comments	
	SDS EU format according to COMMISSION	Modified		
	<b>REGULATION (EU) 2020/878</b>			
2.1	Hazard pictograms (CLP)	Removed		
2.2	UFI	Added		
2.2	Hazard statements (CLP)	Removed		
3.2	Composition/information on ingredients	Modified		

Abbreviations and acror	nyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
vPvB	Very Persistent and Very Bioaccumulative		
SDS	Safety Data Sheet		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
PNEC	Predicted No-Effect Concentration		
PBT	Persistent Bioaccumulative Toxic		
OECD	Organisation for Economic Co-operation and Development		
NOEC	No-Observed Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
LOAEL	Lowest Observed Adverse Effect Level		
LD50	Median lethal dose		
LC50	Median lethal concentration		
IMDG	International Maritime Dangerous Goods		



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms		
ΙΑΤΑ	International Air Transport Association	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	

Other information

None.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H300	Fatal if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 08/09/2021 Revision date: 08/09/2021 Supersedes version of: 08/06/2021

Version: 1.8

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product form		
Product name		
Product code		

Mixture HIT-HY 170, B BU Anchor

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture For professional use only Composite mortar component for fasteners in the construction industry

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH
126 rue Gallieni	Hiltistraße 6
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland
T +33 825 01 05 05	T +49 8191 906876
fr-contactez-nous@hilti.com	anchor.hse@hilti.com

## 1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

# **SECTION 2 Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/	2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU)
2015/830, 2020/878 (REACH Annex II)	
Skin sensitisation. Category 1	H317

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

# Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

Labelling according to Regulation (EC) No. 127	2/2008 [CLP]
Hazard pictograms (CLP)	
	GHS07 GHS09
Signal word (CLP)	Warning
Contains	dibenzoyl peroxide
Hazard statements (CLP)	H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 - Wear eye protection, protective clothing, protective gloves.
	P262 - Do not get in eyes, on skin, or on clothing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
2DXF-J073-F315-5NRR

## 2.3. Other hazards

UFI

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component			
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of		
	REACH for having endocrine disrupting properties, or is not identified as having		
	endocrine disrupting properties in accordance with the criteria set out in Commission		
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		

# SECTION 3 Composition/information on ingredients

## 3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide	CAS-No. 94-36-0	5 - 10	Org. Perox. B, H241
substance with national workplace exposure limit(s)	EC-No. 202-327-6		Eye Irrit. 2, H319
(FR)	EC Index-No. 617-008-00-0		Skin Sens. 1, H317
	REACH-no 01-2119511472-		Aquatic Acute 1, H400 (M=10)
	50		Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16

# SECTION 4 First aid measures

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact May cause an allergic skin reaction. Symptoms/effects after eye contact May cause severe irritation.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5 Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand. Do not use a heavy water stream.
5.2. Special hazards arising from the substar	nce or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures		
6.1. Personal precautions, protec	tive equipment and emergency procedures	
General measures	Spilled material may present a slipping hazard.	
6.1.1. For non-emergency personnel		
Emergency procedures	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public wate	rs. Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for con	Itainment and cleaning up	

o.s. Methous and material for containment and cleaning up		
For containment	Collect spillage.	
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local	
	legislation. Mechanically recover the product. Store away from other materials.	
Other information	Dispose of materials or solid residues at an authorized site.	

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions Incompatible products Incompatible materials Storage temperature	Keep cool. Protect from sunlight. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 5 – 25 °C



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Heat and ignition sources

Keep away from heat and direct sunlight.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

НГ-НҮ 170, В		
France - Occupational Exposure Limits		
Local name	Peroxyde de dibenzoyle	
VME (OEL TWA)	5 mg/m³	
Note (FR)	Valeurs recommandées/admises	
Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)		
dibenzoyl peroxide (94-36-0)		
France - Occupational Exposure Limits		
Local name	Peroxyde de dibenzoyle	
VME (OEL TWA)	5 mg/m <sup>3</sup>	
Note (FR)	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Appropriate engineering controls Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

Eye protection

Wear security glasses which protect from splashes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection:			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166. EN 170

## 8.2.2.2. Skin protection

#### Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

## 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls**

Avoid release to the environment.

### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

# **SECTION 9** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	white.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
SADT	65 °C
рН	≈ 6
pH solution	Not available
Viscosity, kinematic	52941,176 mm²/s
Viscosity, dynamic	90 Pa⋅s HN-0333
Solubility	Water Not miscible



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vapour pressure at 50 °C Density Relative density Relative vapour density at 20 °C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state Particle specific surface area	Not available Not available 1,7 g/cm <sup>3</sup> DIN 51757 Not available Not applicable Not available Not available Not available Not available Not available Not available Not available Not available Not available Not available
---	--

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

## 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11 Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
	pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified
	pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Coroinogonicity	Not classified
Carcinogenicity	
Additional information	Based on available data, the classification criteria are not met
dibenzoyl peroxide (94-36-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
HIT-HY 170, B	
Viscosity, kinematic	52941,176 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine	No additional information available
Auverse meditir enects caused by enductime	

disrupting properties	No additional information available
11.2.2. Other information	
Potential adverse human health effects and	No additional information available
symptoms	

<b>SECTION 12 Ecological information</b>	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term	Very toxic to aquatic life.
(acute)	
Hazardous to the aquatic environment, long-term	Very toxic to aquatic life with long lasting effects.
(chronic)	
dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0,0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0,11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,
	Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0,0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella
	subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0,0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0,001 mg/l
12.2. Persistence and degradability	
HIT-HY 170. B	
Persistence and degradability	Not established.
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in
	the environment.
12.3. Bioaccumulative potential	
HIT-HY 170, B	
Bioaccumulative potential	Not established.
dibenzoyl peroxide (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3,71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
12.4. Mobility in soil	
dibenzoyl peroxide (94-36-0)	
Surface tension	No data available (test not performed)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dibenzoyl peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Koc)	3,8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
12.5. Results of PBT and vPvB assessment		
HIT-HY 170, B		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Component		

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

dibenzoyl peroxide (94-36-0)

Additional information

Avoid release to the environment.

# SECTION 13 Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) Product/Packaging disposal recommendations	Disposal must be done according to official regulations. After curing, the product can be disposed of with household waste Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in
Ecology - waste materials European List of Waste (LoW) code	accordance with local/national regulations. Avoid release to the environment. 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transport information			
ADR	IMDG		
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	RID
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
III	111	III	III
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
not restricted according ADR Specia	al Provision SP375, IATA-DGR Specia	Al Provision A197 and IMDG-Code 2.	10.2.7

# 14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	: MP10
Transport category (ADR)	: 3
Orange plates	90 3077
Tunnel restriction code (ADR)	: -
Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Packing instructions (IMDG)	: LP02, P002
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
Air transport	
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
Special provisions (IATA)	: A97, A158, A179, A197, A215
Rail transport	
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Packing instructions (RID)	: P002, IBC08, LP02, R001
14.7. Maritime transport in bulk according	to IMO instruments

Not applicable



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 15 Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65 Eczematiform lesions of allergic mechanism		

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16 Other information**

#### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		
2.2	UFI	Added	
15.1	National regulations	Added	

Abbreviations and	acronyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic

Other information

None.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Org. Perox. B	Organic Peroxides, Type B	
Skin Sens. 1	Skin sensitisation, Category 1	
H241	Heating may cause a fire or explosion.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# Safety information for 2-Component-products

Issue date: 08/06/2021

Revision date: 08/06/2021

Supersedes: 23/03/2020

Version: 2.1

## **SECTION 1: Kit identification**

## **1.1 Product identifier**

Product name Product code

HIT-HY 170 **BU** Anchor

## 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti France S.A.S. 126 rue Gallieni 92100 Boulogne-Billancourt - France T +33 825 01 05 05 fr-contactez-nous@hilti.com

# **SECTION 2:** General information

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

# **SECTION 3: Kit contents**

## **Classification of the Product**

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

H319 Eye Irrit. 2 Skin Sens. 1 H317 H350 Carc. 1B Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Full text of H-statements: see section 16

FR - en

## Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



Signal word (CLP)




Kit SIS (Safety Information Sheet)

Hazard statements (CLP)	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H350 - May cause cancer. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P262 - Do not get in eyes, on skin, or on clothing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
Extra phrases	Restricted to professional users

## Additional information

2-Component-foilpack, contains: Component A: Urethane methacrylate resin, inorganic filler Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-HY 170, A		1	Stck. (Stück/e)	Eye Irrit. 2, H319 Skin Sens. 1, H317 Carc. 1B, H350
HIT-HY 170, B		1	Stck. (Stück/e)	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## **SECTION 4: General information**

General advice

For professional users only

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

SECTION 6: First aid measures		
First-aid measures after eye contact	Rinse immediately with plenty of water	
		0.00



Kit SIS (Safety Information Sheet)

	Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation
Symptoms/effects after skin contact	May cause an allergic skin reaction.

SECTION 7: Fire fighting measures	
Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

# **SECTION 8: Other information**

No data available



# Safety Data Sheet

Issue date: 08/06/2021

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 08/06/2021 Supersedes version of: 20/03/2020

Version: 1.7

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
Product form
Product name
Product code

Mixture HIT-HY 170, B **BU** Anchor

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture

For professional use only Composite mortar component for fasteners in the construction industry

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH
126 rue Gallieni	Hiltistraße 6
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland
T +33 825 01 05 05	T +49 8191 906876
fr-contactez-nous@hilti.com	anchor.hse@hilti.com
1.4. Emergency telephone number	

Emergency number

Schweizerisches Toxikologisches Informationszentrum - 24h Service +41 44 251 51 51 (international)

# **SECTION 2 Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 2015/830, 2020/878 (REACH Annex II)	No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU)
Skin sensitisation, Category 1	H317

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2	008 [CLP]
Hazard pictograms (CLP)	
	GHS07 GHS09
Signal word (CLP)	Warning
Contains	dibenzoyl peroxide
Hazard statements (CLP)	H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 - Wear eye protection, protective clothing, protective gloves.
	P262 - Do not get in eyes, on skin, or on clothing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water. P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component				
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of			
	REACH for having endocrine disrupting properties, or is not identified as having			
	endocrine disrupting properties in accordance with the criteria set out in Commission			
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605			

# **SECTION 3 Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide	CAS-No. 94-36-0	5 - 10	Org. Perox. B, H241
substance with national workplace exposure limit(s)	EC-No. 202-327-6		Eye Irrit. 2, H319
(FR)	EC Index-No. 617-008-00-0		Skin Sens. 1, H317
	REACH-no 01-2119511472-		Aquatic Acute 1, H400 (M=10)
	50		Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16

# SECTION 4 First aid measures

## 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5 Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand. Do not use a heavy water stream.
5.2. Special hazards arising from the substar	nce or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	Spilled material may present a slipping hazard.			
6.1.1. For non-emergency personnel				
Emergency procedures	Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.			
Emergency procedures	Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.				
6.3. Methods and material for containment and cleaning up				

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local
	legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling Hygiene measures	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage, including any incompatibilities				
Storage conditions Incompatible products Incompatible materials Storage temperature	Keep cool. Protect from sunlight. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 5 – 25 °C			



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Heat and ignition sources

Keep away from heat and direct sunlight.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

НІТ-НҮ 170, В			
France - Occupational Exposure Limits			
Local name	Peroxyde de dibenzoyle		
VME (OEL TWA)	5 mg/m³		
Note (FR)	Valeurs recommandées/admises		
Regulatory reference Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)			
dibenzoyl peroxide (94-36-0)			
France - Occupational Exposure Limits			
Local name	Peroxyde de dibenzoyle		
VME (OEL TWA)	5 mg/m <sup>3</sup>		
Note (FR)	Valeurs recommandées/admises		
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)		

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

Eye protection

Wear security glasses which protect from splashes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection:			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

## 8.2.2.2. Skin protection

#### Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

## 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls**

Avoid release to the environment.

#### **Consumer exposure controls**

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

## **SECTION 9** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	white.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
SADT	65 °C
рН	≈ 6
pH solution	Not available
Viscosity, kinematic	52941,176 mm²/s
Viscosity, dynamic	90 Pa⋅s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Density	1,7 g/cm <sup>3</sup> DIN 5
Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

# SECTION 10 Stability and reactivity

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

51757

# **SECTION 11 Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

	• • •
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
	pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified
	pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dibenzoyl peroxide (94-36-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
HIT-HY 170, B	
Viscosity, kinematic	52941,176 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	No additional information available
<b>11.2.2. Other information</b> Potential adverse human health effects and symptoms	No additional information available

12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	Very toxic to aquatic life with long lasting effects.
dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0,0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0,11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0,0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0,0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0,001 mg/l
12.2. Persistence and degradability	
HIT-HY 170, B	
Persistence and degradability	Not established

Persistence and degradability	Not established.	
dibenzoyl peroxide (94-36-0)		
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.	

## 12.3. Bioaccumulative potential

HIT-HY 170, B		
Bioaccumulative potential	oaccumulative potential Not established.	
dibenzoyl peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Pow)	3,71	
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).	
12.4. Mobility in soil		
dibenzoyl peroxide (94-36-0)		
Surface tension	No data available (test not performed)	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dibenzoyl peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Koc)	3,8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on	
	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental	
	value)	
Ecology - soil	Low potential for mobility in soil.	
HIT-HY 170. B		
HIT-HY 170, B		
This substance/mixture does not meet the PBT crit	5	
This substance/mixture does not meet the PBT crit This substance/mixture does not meet the vPvB cr	5	
This substance/mixture does not meet the PBT crit	5	
This substance/mixture does not meet the PBT crit This substance/mixture does not meet the vPvB cr	5	

#### 12.6. Endocrine disrupting properties

#### No additional information available

## 12.7. Other adverse effects

Additional information

Avoid release to the environment.

## **SECTION 13 Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste Full or only partially
	emptied cartridges must be disposed of as special waste in accordance with official
	regulations. Packaging contaminated by the product : Dispose in a safe manner in
	accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances
	20 01 27* - paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transport i			
ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
not restricted according ADR Specia	al Provision SP375, IATA-DGR Specia	al Provision A197 and IMDG-Code 2.	10.2.7

## 14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	: MP10
Transport category (ADR)	: 3
Orange plates	90 3077
Tunnel restriction code (ADR)	: -
Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Packing instructions (IMDG)	: LP02, P002
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
Air transport	
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
Special provisions (IATA)	: A97, A158, A179, A197, A215
Rail transport	
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Packing instructions (RID)	: P002, IBC08, LP02, R001
14.7. Maritime transport in bulk according t	o IMO instruments

Not applicable



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15 Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16 Other information**

#### Indication of changes:

Ocertien	Ob any mark literary		0
Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		

Abbreviations and acror	iyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic

Other information

None.

Full text of H- and EUH-statements:	
Aquatic Acute 1 Haza	zardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1 Haza	zardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2 Serie	rious eye damage/eye irritation, Category 2
Org. Perox. B Organic Peroxides, Type B	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1	Skin sensitisation, Category 1	
H241	Heating may cause a fire or explosion.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



## Safety Data Sheet

Issue date: 08/06/2021

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 08/06/2021 Supersedes version of: 20/03/2020

Version: 2.1

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier Product form Product name

Product code

Mixture HIT-HY 170, A **BU** Anchor

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

For professional use only Composite mortar component for fasteners in the construction industry

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet		
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH		
126 rue Gallieni	Hiltistraße 6		
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland		
T +33 825 01 05 05	T +49 8191 906876		
fr-contactez-nous@hilti.com	anchor.hse@hilti.com		
4.4. Emergeney televisers symbols			

### 1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum - 24h Service +41 44 251 51 51 (international)

## **SECTION 2 Hazards identification**

## 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU)

2015/830, 2020/878 (REACH Annex II)	
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 1B	H350

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms (CLP)	GHS07 GHS08	
Signal word (CLP)	Danger	
Contains	2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; 1,2-dihydroxybenzene; 2-Propenoic acid,	
	2-methyl-, monoester with 1,2-propanediol	
Hazard statements (CLP)	H317 - May cause an allergic skin reaction.	
	H319 - Causes serious eye irritation.	
	H350 - May cause cancer.	
Precautionary statements (CLP)	P280 - Wear eye protection, protective clothing, protective gloves.	
	P262 - Do not get in eyes, on skin, or on clothing.	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Restricted to professional users.

Extra phrases

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,2-dihydroxybenzene (120-80-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component		
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
1,2-dihydroxybenzene(120-80-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

## **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methyl-, monoester with 1,2-	CAS-No. 27813-02-1	10 – 25	Eye Irrit. 2, H319
propanediol	EC-No. 248-666-3		Skin Sens. 1, H317
	EC Index-No. 607-125-00-5		
	REACH-no 01-2119490226-		
	37		
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No. 2082-81-7	1 – 3	Skin Sens. 1B, H317
	EC-No. 218-218-1		
	REACH-no 01-2119967415-		
	30		
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No. 38668-48-3	0 – 1	Acute Tox. 2 (Oral), H300
	EC-No. 254-075-1		Eye Irrit. 2, H319
	REACH-no 01-2119980937-		Aquatic Chronic 3, H412
	17		
1,2-dihydroxybenzene	CAS-No. 120-80-9	0 – 1	Carc. 1B, H350
substance with national workplace exposure limit(s)	EC-No. 204-427-5		Muta. 2, H341
(FR)	EC Index-No. 604-016-00-4		Acute Tox. 3 (Dermal), H311
			Acute Tox. 3 (Oral), H301
			Skin Irrit. 2, H315
			Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4 First aid measures		
4.1. Description of first aid measures		
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact	May cause an allergic skin reaction.	
Symptoms/effects after eye contact	May cause severe irritation.	

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5 Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.	
Unsuitable extinguishing media	Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# 5.3. Advice for firefighters Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

Protection during firefighting

Use water spray or tog for cooling exposed containers. Exercise caution when fighting ar chemical fire. Prevent fire fighting water from entering the environment. Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	Spilled material may present a slipping hazard.		
6.1.1. For non-emergency personnel			
Emergency procedures	Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.		
Emergency procedures	Ventilate area.		
6.2. Environmental precautions			
6.2. Environmental precautions			

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	Collect spillage.	
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local	
	legislation. Mechanically recover the product. Store away from other materials.	
Other information	Dispose of materials or solid residues at an authorized site.	

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# SECTION 7 Handling and storage

7.1. Precautions for safe handling	
Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	Keep cool Protect from sunlight

Keep cool. Protect from sunlight. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 5 - 25 °C Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-dihydroxybenzene (120-80-9)	
France - Occupational Exposure Limits	
Local name	Pyrocatéchol
VME (OEL TWA)	20 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	5 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls

Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

#### Eye protection

Wear security glasses which protect from splashes

#### Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

#### 8.2.2.2. Skin protection

#### Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

Environmental exposure controls Avoid release to the environment. Consumer exposure controls Avoid contact during pregnancy/while nursing. Other information

Do not eat, drink or smoke during use.

## **SECTION 9** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Colour Appearance Odour Odour threshold Melting point Freezing point **Boiling point** Flammability Explosive properties Explosive limits Lower explosive limit (LEL) Upper explosive limit (UEL) Flash point Auto-ignition temperature Decomposition temperature pН pH solution Viscosity, kinematic Viscosity, dynamic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50 °C Density Relative density Relative vapour density at 20 °C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state Particle specific surface area Particle dustiness

Light grey. Thixotropic paste. characteristic. Not determined Not available Not available Not available Non flammable. Product is not explosive. Not applicable Not applicable Not applicable > 109 °C DIN EN ISO 1523 Not self-igniting Not available Not available Not available 60606,061 mm<sup>2</sup>/s 100 Pa-s HN-0333 Water Not miscible Not available Not available Not available 1,65 g/ml AW 4.3.23 Not available Not applicable Not available Not available

Solid

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

### **10.6. Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological inform	mation
11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
2-Propenoic acid, 2-methyl-, monoester with	1,2-propanediol (27813-02-1)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg
	bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl e	ester (2082-81-7)
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
ATE CLP (oral)	10066 mg/kg bodyweight
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	25 mg/kg bodyweight
1,2-dihydroxybenzene (120-80-9)	
LD50 oral rat	300 mg/kg
LD50 dermal rat	600 mg/kg
LC50 Inhalation - Rat (Vapours)	≥ 2,8 mg/l/4h
ATE CLP (oral)	300 mg/kg bodyweight
ATE CLP (dermal)	600 mg/kg bodyweight
Skin corrosion/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	May cause cancer.
1,2-dihydroxybenzene (120-80-9)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
HIT-HY 170, A	
Viscosity, kinematic	60606,061 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

No additional information available

# SECTION 12 Ecological information

Hazardous to the aquatic environment, short-term (acute)	Not classified	
Hazardous to the aquatic environment, long-term	Not classified	
(chronic)		
2-Propenoic acid, 2-methyl-, monoester with 1,2-pr	opanediol (27813-02-1)	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)	
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)	
ErC50 algae	97,2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella	
	subcapitata, Static system, Fresh water, Experimental value, GLP)	
Threshold limit - Algae [1]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)	
Threshold limit - Algae [2]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)		
LC50 - Other aquatic organisms [1]	9,79 mg/l	
NOEC (acute)	7,51 mg/l	
NOEC (chronic)	20 mg/l	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
LC50 - Fish [1]	≈ 17 mg/l	
LC50 - Other aquatic organisms [1]	245 mg/l	
EC50 - Crustacea [1]	28,8 mg/l	
NOEC (acute)	57,8 mg/l	
1,2-dihydroxybenzene (120-80-9)		
LC50 - Fish [1]	9,22 mg/l	
LC50 - Other aquatic organisms [1]	22 mg/l	

## 12.2. Persistence and degradability

HIT-HY 170, A		
Persistence and degradability	Not established.	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
Persistence and degradability	Readily biodegradable in water.	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)		
Biodegradation	84 %	
	•	

## 12.3. Bioaccumulative potential

HIT-HY 170, A		
Bioaccumulative potential	Not established.	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
BCF - Fish [1]	≤ 100	
BCF - Fish [2]	3,2 Quantitative structure-activity relationship (QSAR)	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
Partition coefficient n-octanol/water (Log Pow)	0,97 (OECD 102 method)	
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)		
Partition coefficient n-octanol/water (Log Pow)	3,1	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
Partition coefficient n-octanol/water (Log Kow)	2,1	

### 12.4. Mobility in soil

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Partition coefficient n-octanol/water (Log Koc)	1,9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Results of PBT and vPvB assessment

HIT-HY 170, A		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Component		
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
propanediol (27813-02-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
(2082-81-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-dihydroxybenzene (120-80-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

Avoid release to the environment.

## **SECTION 13 Disposal considerations**

13.1. Waste treatment methods	
Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste Full or only partially
	emptied cartridges must be disposed of as special waste in accordance with official
	regulations. Packaging contaminated by the product : Dispose in a safe manner in
	accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous
	substances
	20 01 27* - paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transport information In accordance with ADR / IMDG / IATA / RID				
ADR IMDG		ΙΑΤΑ	RID	
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	RID
14.2. UN proper shipping name			
Not regulated Not regulated		Not regulated	Not regulated
14.3. Transport hazard class(es)			1
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			·
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated

#### 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15 Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
28.	1,2-dihydroxybenzene	
3(b) 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester ; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol		
Contains no substance on the REACH candidate list ≥ 0,1 % / SCL		

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 16 Other information**

### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		
2.2	Extra phrases	Added	

Abbreviations an	d acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
vPvB	Very Persistent and Very Bioaccumulative		
SDS	Safety Data Sheet		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
PNEC	Predicted No-Effect Concentration		
PBT	Persistent Bioaccumulative Toxic		
OECD	Organisation for Economic Co-operation and Development		
NOEC	No-Observed Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
LOAEL	Lowest Observed Adverse Effect Level		
LD50	Median lethal dose		
LC50	Median lethal concentration		
IMDG	International Maritime Dangerous Goods		
IATA	International Air Transport Association		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		

Other information

None.

Full text of H- and EUH-	Full text of H- and EUH-statements:		
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Carc. 1B	Carcinogenicity, Category 1B		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Muta. 2	Germ cell mutagenicity, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
H300	Fatal if swallowed.		
H301	Toxic if swallowed.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H341	Suspected of causing genetic defects.		
H350	May cause cancer.		
H412	Harmful to aquatic life with long lasting effects.		



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method

## SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.